

Energy and environment policy case for a global project on artificial photosynthesis

Cite this: DOI: 10.1039/c3ee00063j

Thomas A. Faunce,^{*a} Wolfgang Lubitz,^b A. W. (Bill) Rutherford,^c Douglas MacFarlane,^d Gary F. Moore,^e Peidong Yang,^{fg} Daniel G. Nocera,^h Tom A. Moore,ⁱ Duncan H. Gregory,^j Shunichi Fukuzumi,^k Kyung Byung Yoon,^l Fraser A. Armstrong,^m Michael R. Wasielewskiⁿ and Stenbjorn Styring^o

Received 8th January 2013
Accepted 17th January 2013

DOI: 10.1039/c3ee00063j

www.rsc.org/ees

A policy case is made for a global project on artificial photosynthesis including its scientific justification, potential governance structure and funding mechanisms.

Improving photosynthesis – the great scientific and moral challenge for our time

The United Nations General Assembly declared 2012 the *International Year of Sustainable Energy for All*, recognizing that access to modern, affordable energy services in developing countries is essential for the achievement of the *Millennium Development Goals*.¹ Here we explore how achievement of such laudable goals can be accelerated by a global macroscience project designed to improve upon or draw inspiration from a full characterisation of the photosynthetic process that in its present and historical forms provides the bulk of our food and energy, as well as sustaining the ecosystems upon which we depend.

Many technologies are being proposed as potential solutions for the energy and climate change problems associated with the growth of human population to ~10 billion its energy consumption to ~500 EJ per year (~20 TW) and the increased burning of carbon-based ‘archived’ photosynthesis fuels (such as oil, coal and natural gas).^{2,3} The latter has been prolonged, despite adverse environmental consequences, through cost-decreasing new resource discoveries and developments such as those involved in shale oil and gas extraction as well as ‘fracking’.⁴ Yet, we argue, no new technology has the long-term potential to so radically transform the planet towards sustainability as artificial photosynthesis engineered (alone or together with other technologies) in more efficient form as an ‘off-grid’ zero-carbon energy solution into all our structures (*i.e.*, buildings, roads, vehicles). The policy position we advocate is that developing and globally deploying artificial photosynthesis, for example either by engineering it into building materials or in discreet practical devices, is one of the great scientific and moral challenges of our time and would be a major step towards national and global economic security as well as preservation of our biosphere.⁵

There is presently a considerable energy and climate change policy focus on the capacity of photovoltaic electricity fed into

^aAustralian National University, ANU College of Law and College of Medicine, Biology and the Environment, Australia. E-mail: Thomas.Faunce@anu.edu.au; Tel: +61 2 61253563

^bMax Planck Institute for Chemical Energy Conversion, Stiftstr 34-36, Muelheim/Ruhr, D-45470 Germany. E-mail: wolfgang.lubitz@cec.mpg.de; Tel: +49 208 3063614

^cBiochemistry of Solar Energy, Imperial College London, South Kensington Campus, London SW7 2AZ, UK. E-mail: a.rutherford@imperial.ac.uk; Tel: +44 (0)20 7594 5329

^dSchool of Chemistry, Monash University, Bldg 23N, Clayton Rm 134A, Australia. E-mail: Douglas.Macfarlane@monash.edu; Tel: +61 3 9905 4540

^eJoint Center for Artificial Photosynthesis, 2929 7th Street, Berkeley, CA 94710, USA. E-mail: gfmoores@lbl.gov; Tel: +1 360 791 8025

^fDepartment of Chemistry, University of California, Berkeley, USA

^gThe Center of Excellence for Advanced Materials Research (CEAMR), Chemistry Department, King Abdulaziz University, Jeddah 21589, Saudi Arabia. E-mail: p_yang@berkeley.edu; Tel: +966 510 643 1545

^hEnergy, Department of Chemistry, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA. E-mail: nocera@mit.edu; Tel: +1 6172535537

ⁱArizona State University, Department of Chemistry and Biochemistry, Tempe, AZ 85287, USA. E-mail: tmoore@asu.edu; Tel: +1 510 643 1545

^jInorganic Materials, Inorganic Chemistry, Room C4-05, School of Chemistry, Joseph Black Building, University of Glasgow, Glasgow G12 8QQ, UK. E-mail: Duncan.Gregory@glasgow.ac.uk; Tel: +44 (0)141 330 6438

^kDepartment of Material and Life Science, Graduate School of Engineering, Osaka University, 2-1 Yamada-oka, Suita, Osaka 565-0871, Japan. E-mail: fukuzumi@chem.eng.osaka-u.ac.jp; Tel: +81 6 6879 7368

^lKorea Center for Artificial Photosynthesis, Department of Chemistry, Sogang University, Seoul 121-742, Korea. E-mail: yoonkb@sogang.ac.kr; Tel: +82 2 715 2569; +82 10 4736 6006

^mInorganic Chemistry Laboratory, University of Oxford, South Parks Road, Oxford OX1 3QR, UK. E-mail: fraser.armstrong@chem.ox.ac.uk; Tel: +44 (0)1865 287182 ext. 272647

ⁿArgonne-Northwestern Solar Energy Research (ANSER), Center Department of Chemistry, Northwestern University, Evanston, IL 60208-3113, USA. E-mail: wasielewski-ofc@northwestern.edu; Tel: +1 847 467 1423

^oPhotochemistry and Molecular Science, Department of Chemistry, Ångström Laboratory, Uppsala University, Sweden. E-mail: Stenbjorn.Styring@kemi.uu.se; Tel: +46-(0)18-471 6580

centralised grid structures to provide (in combination with sources such as nuclear, wind and solar-thermal) an increasing portion of the world's zero-carbon renewable energy sources.⁶ Yet it is unlikely that unravelling the scientific challenge of photosynthesis will or should simply halt at its light capture component. Rather, it must proceed into fully understanding at a molecular level how the structure and function of the 'natural' photosynthetic process^{7,8} can be a source of insight and inspiration⁹⁻¹¹ for discovering how solar energy can be stored in a chemical bond as a low mass, high energy carrier fuel. This may involve water splitting-derived H₂ alone, or H₂ in combination with products derived from industrial or atmospheric-sourced CO₂ reduction, that can be readily stored and transported to allow release of energy as required, for instance either by reaction with oxygen¹² or conversion into electricity via a fuel cell.^{13,14}

Reasons for a global artificial photosynthesis project

The complexity and overlap of scientific disciplines involved in fully characterising and improving the photosynthetic process provide a rather obvious reason for coordinating and thence accelerating them within a global project. A shared feature among most solar fuels strategies is a focus on a particular scientific challenge. Thus, researchers in this field are striving to design molecular mimics of photosynthesis that utilize a wider region of the solar spectrum, employ catalytic systems made from abundant, inexpensive materials that are robust, readily repaired, non-toxic, stable in a variety of environmental conditions and perform more efficiently allowing a greater proportion of photon energy to end up in the storage compounds, *i.e.*, carbohydrates (rather than building and sustaining living cells).¹⁵⁻¹⁸ Relevant approaches utilize coordination chemistry, material science and nanosciences,¹⁹⁻²³ as well as modified bio-engineered, synthetic biomimetic and bio-inspired techniques, to construct photo-semiconductors and solid state catalysts for water oxidation,²⁴ plus hydrogen evolution catalysts based on enzymes.²⁵⁻²⁷ It has been suggested that only the most efficient components of natural photosynthetic energy transduction should be a target of such chemical mimicry that needs to become more systematised and outcome focused.²⁸

The second reason justifying a global project is that a variety of other evaluation processes have already determined the value of investing considerable funds in this area at the national level. A dozen European research partners, for example, form the *Solar-H₂ Network*, supported by the European Union.²⁹ The Max-Planck Society has just founded an *Institute for Chemical Energy Conversion*, a 100 million Euro foundation in Germany. The US Department of Energy (DOE) *Joint Center for Artificial Photosynthesis (JCAP)*, led by the California Institute of Technology (Caltech) and Lawrence Berkeley National Laboratory, has been awarded US\$ 122 million over 5 years to demonstrate a manufacturable, scalable solar fuels generator using earth-abundant elements that, with no wires, robustly produces fuel from the Sun ten times more efficiently than current crops. Some Energy

Frontier Research Centers (EFRCs) funded by the US DOE are focused on solar fuels related endeavours; for example, the *Argonne-Northwestern Solar Energy Research (ANSER) Center* led by Northwestern University, the *Center for Bio-inspired Solar Fuel Production (BISFuel)* led by Arizona State University, and the *Center for Solar Fuels* led by the University of North Carolina. Prominent international examples include the *Energy Futures Lab* at Imperial College London,³⁰ the *Australian Centre of Excellence on Electromaterials Science (ACES)* Energy Research Program³¹ and the *Solar Fuels Lab* at Nanyang Technological University in Singapore.³² In Japan, the *Advanced Low Carbon Technology Research and Development (ALCA)* project aims to produce a carbon-free fuel based on hydrogen peroxide.³³ In South Korea, the Pohang Steel Company, is contributing to the *Korea Center for Artificial Photosynthesis (KCAP)*.³⁴ In China, the first national lab for clean energy research has been set up with the broader mission of also reducing carbon emissions.³⁵ A global initiative could leverage further support and encourage efficiency through combined approaches such as specialization.

The third reason is that a global artificial photosynthesis (GAP) project would significantly raise the public profile of artificial photosynthesis and drive policy and governance changes to facilitate rapid deployment of the technology. The policy reality is that artificial photosynthesis technology is one of a number of alternative energy technologies vying for research and development support from government and industry investors in a time of tightening budgets. The funds previously mentioned as dedicated to artificial photosynthesis research are miniscule compared to those allocated to other forms of renewable energy research, for example, carbon capture and storage technologies, at a time when fossil fuels (particularly liquid natural gas) remain relatively cheap and accessible, at least in the short term because of government subsidies, taxation and investment incentives. Artificial photosynthesis has unique, safe long-term capacity to provide an 'off-grid' zero-carbon, safe, affordable energy and climate change solution to particularly meet the needs of developing nations or those living in hostile environments, but to do so significant ethical and legal challenges will need to be addressed.³⁶ Some of these challenges are discussed in the next section dealing with the form and structure of a GAP project.

Form and structure of a global artificial photosynthesis project

One approach to structuring such a global initiative could involve incrementally building towards it by encouraging each existing national project to add relevant collaborations into grant proposals for renewed funding. An additional component here could involve encouraging intellectual property lawyers protecting the interests of the respective universities, industry partners and public funders to agree to meet and discuss suitably secure forms of ideas sharing (such as date and time-stamped communications designed to protect priority). Such changes could be facilitated by periodic higher-level meetings of the leaders of the different national projects in conjunction with senior representatives of their respective funding agencies

to develop guidelines or memoranda of understanding for collaboration.

Given the extent to which issues of state sovereignty and lobbying by the 'archived' photosynthesis fuel industries may frustrate related national efforts, prioritizing private resources may have the dual advantages of leveraging existing governmental support and providing significant flexibility with regard to initiating international partnerships that can rapidly respond to new solar fuels research and development opportunities. Such an approach, might involve a structure with an Advisory Board of high profile philanthropists or those with connections to large possible investors, as well as an a Science Advisory Board able to vet the merit of different proposals for funding. Linking strategies to achieve a strong positive impact on global energy needs with an emphasis on private sector funding forms the primary driver of the *Solar Fuels Institute* (SOFI) consortium of universities, government labs, industry, scientists, economists and public policy specialists united around the goal of developing and commercializing a carbon-neutral liquid fuel using the sun's energy within 10 years.³⁷

The great lure of a global project for researchers will be increased funding, so a further or complementary model could be that as national projects end their first funding cycle, an international initiative under the auspices of the United Nations or one of its affiliated organisations could commence under which nations contribute a set percentage of their respective gross domestic product (GDPs), or obtain funds from other sources (such as uniform carbon pricing mechanisms or a multilateral treaty-based tax on international financial transactions). Researchers with expertise peer-reviewed by the project's Scientific Board could be seconded to such a project for a set period and permitted during that time to contract teams of researchers from the various national projects to advance work on important but comparatively lagging selected projects (such as CO₂ reduction). A set proportion of the project's funds could be set aside (as it was under the HGP to foster policy and ethics experts capable of effectively engaging in policy debates concerning the project.³⁸

Work under a GAP project is likely to be distributed across a variety of laboratories in different nations, rather than being focused in one place, like the International Project on Fusion Energy (ITER). Yet, unlike ITER GAP research involves a wide spectrum of innovative activities (electrochemistry, inorganic and organic chemistry, material sciences, biochemistry, *etc.*) all of which could produce new catalysts for a range of processes outside the AP arena (*e.g.*, cheap alternatives to Pt in electrolysis) with considerable intellectual property value to the involved research groups, universities, institutes and countries as a financial return on their respective investments. Nonetheless, the successes of ITER may highlight the benefits of having signatories in a GAP collaboration that agree to share scientific data, procurements, finance and staffing.³⁹ The governance structure of a GAP project will also need to include a robust mechanism to increase the breadth of options efficiently tested, and facilitate the sharing of research progress and information on a real-time basis, so as to avoid unnecessary and duplicating investments, specifically pinpoint and orchestrate required

research efforts, share requisite large scale facilities (such as nanofab centers, highest resolution TEMs, time-resolved spectroscopic facilities, technical supports), and provide the various types of prototypical pilot plants, as well as the basic elements—curricula and subjects—required to educate students and the general public.

Badging a GAP project as a specific scientific challenge tightly linked to important policy controversies associated with energy security (particularly for poor people in developing nations without an established electricity grid) and environmental sustainability could make it acceptable to a broad political base, as well as the general public. Declarations of basic principle by UNESCO and the United Nations on how such technology should be used initiatives such as the *Millennium Development Goals*, could play valuable roles here.⁴⁰

Conclusion

History is replete with examples of how technological progress has spurred and assisted the transformation of ideals into governance norms and structures. Yet public policy change as we advocate here should not follow many such examples and erupt from a crisis, but grow systematically. The author Kurt Vonnegut shortly before his death described the earth as a living organism; when tasked with how we should find solutions for its ailments, he suggested we should "get a gang" and do something about it.⁴¹ The governance structures of the best types of science 'gangs,' of course, should not preclude or lessen the importance of small groups/individuals generating important but initially apparently unconventional ideas. However, on a large scale, a GAP initiative with a transparent, ethical and innovation-promoting governance framework drawing from the models discussed here may be exactly the 'gang' that humanity and the environment urgently needs.

Acknowledgements

Prof. Thomas Faunce received funding that assisted in the preparation of this paper from the Australian Research Council (ARC) under a Future Fellowship. The ARC was not involved in the writing of the paper. Thanks to Kim Crow and Anton Wasson for their research assistance with this paper.

References

- 1 United Nations Global Initiative on Sustainable Energy For All, UN, 2012, <http://sustainableenergyforall.org/objectives>, accessed November 2012.
- 2 H. H. Rogner, *United Nations Development World Energy Assessment*, United Nations, Geneva, 2004, p. 162.
- 3 United States Energy Information Administration, *International Energy Outlook 2011*, US EIA, 2011.
- 4 National Intelligence Council, *Global Trends 2030, Alternative Worlds*, December 2012, NIC 2012-001.
- 5 G. A. Olah, A. Goepfert and G. K. Surya Prakash, *Beyond Oil and Gas: The Methanol Economy*, Wiley-VCH, Weinheim, 2009, pp. 156-157.

- 6 J. H. Williams, *et al.*, The technology path to deep greenhouse gas emissions cuts by 2050: the pivotal role of electricity, *Science*, 2012, **335**, 53–59.
- 7 K. N. Ferreira, T. M. Iverson, K. Maghlaoui, J. Barber and S. Iwata, Architecture of the photosynthetic oxygen-evolving center, *Science*, 2004, **303**, 1831–1838.
- 8 Y. Umena, K. Kawakami, J.-R. Shen and N. Kamiya, Crystal structure of oxygen-evolving photosystem II at a resolution of 1.9 Å, *Nature*, 2011, **473**, 55–60.
- 9 R. E. Blankenship, *et al.*, Comparing photosynthetic and photovoltaic efficiencies and recognizing the potential for improvement, *Science*, 2011, **332**, 805–809.
- 10 L. Hammarström, J. R. Winkler, H. B. Gray and S. Styring, Shedding light on solar fuel efficiencies, *Science*, 2011, **333**, 288.
- 11 H. Dau, *et al.*, The mechanism of water oxidation: from electrolysis *via* homogeneous to biological catalysis, *ChemCatChem*, 2010, **2**, 724–761.
- 12 N. S. Lewis and D. G. Nocera, Powering the planet: chemical challenges in solar energy utilization, *Proc. Natl. Acad. Sci. U. S. A.*, 2006, **103**, 15729–15735.
- 13 The requirement that fuels be chemicals that react with O₂ to release energy, means that only H₂ is viewed as a fuel, even though energy is stored in the bonds of both gases.
- 14 A. Sartbaeva, V. L. Kuznetsov, S. A. Wells and P. P. Edwards, Hydrogen nexus in a sustainable energy future, *Energy Environ. Sci.*, 2008, **1**, 79–85.
- 15 T. W. Woolerton, S. Sheard, Y. S. Chaudhary and F. A. Armstrong, Enzymes and bio-inspired electrocatalysts in solar fuel devices, *Energy Environ. Sci.*, 2012, **5**, 7470–7490.
- 16 M. R. Wasielewski, Photoinduced electron transfer in supramolecular systems for artificial photosynthesis, *Chem. Rev.*, 1992, **92**, 435–461.
- 17 D. Gust, T. A. Moore and A. L. Moore, Mimicking photosynthetic solar energy transduction, *Acc. Chem. Res.*, 2001, **34**, 40–48.
- 18 R. Lomoth, A. Magnuson, M. Sjodin, P. Huang, S. Styring and L. Hammarstrom, Mimicking the electron donor side of photosystem II in artificial photosynthesis, *Photosynth. Res.*, 2006, **87**, 25–40.
- 19 G. F. Moore and G. W. Brudvig, Energy conversion in photosynthesis: a paradigm for solar fuel production, *Annu. Rev. Condens. Matter Phys.*, 2011, **2**, 303–327.
- 20 C. W. Li and M. W. Kanan, CO₂ reduction at low overpotential on Cu electrodes resulting from the reduction of thick Cu₂O films, *J. Am. Chem. Soc.*, 2012, **134**, 7231–7234.
- 21 S. Sun, C. Liu Chong and P. Yang, Surfactant-free, large-scale, solution-liquid-solid growth of gallium phosphide nanowires and their use for visible-light-driven hydrogen production from water reduction, *J. Am. Chem. Soc.*, 2011, **133**, 19306–19309.
- 22 S. W. Boettcher, *et al.*, Photoelectrochemical hydrogen evolution using Si microwire arrays, *J. Am. Chem. Soc.*, 2011, **133**, 1216–1219.
- 23 S. Y. Reece, *et al.*, Wireless solar water splitting using silicon-based semiconductors and earth-abundant catalysts, *Science*, 2011, **334**, 645–648.
- 24 W. Lubitz, E. J. Reijerse and J. Messinger, Solar water-splitting into H₂ and O₂: design principles of photosystem II and hydrogenases, *Energy Environ. Sci.*, 2008, **1**, 15–31.
- 25 M. L. Helm, *et al.*, A synthetic nickel electrocatalyst with a turnover frequency above 100 000 s⁻¹ for H₂ production, *Science*, 2011, **333**, 863–866.
- 26 M. L. Ghirardi, *et al.*, Hydrogenases and hydrogen photoproduction in oxygenic photosynthetic organisms, *Annu. Rev. Plant Biol.*, 2007, **58**, 71–91.
- 27 J. Hirst and F. A. Armstrong, Reversibility and efficiency in electrocatalytic energy conversion and lessons from enzymes, *Proc. Natl. Acad. Sci. U. S. A.*, 2011, **108**, 14049–14054.
- 28 A. W. Rutherford and T. A. Moore, Mimicking photosynthesis, but just the best bits, *Nature*, 2008, **453**, 449.
- 29 Solar H Project, <http://www.fotomol.uu.se/Forskning/Biomimetics/solarh/index.shtml>, accessed November 2012.
- 30 Energy Futures Lab, <http://www3.imperial.ac.uk/energyfutureslab>, accessed November 2012.
- 31 Australian Research Council (ARC) Centre of Excellence for Electromaterials Science (ACES), Energy Research Program, <http://electromaterials.edu.au/researchprograms/UOW118663.html>, accessed November 2012.
- 32 Taking a leaf from nature, Nanyang Technological University, http://news.ntu.edu.sg/pages/newsdetail.aspx?URL=http://news.ntu.edu.sg/news/Pages/NR2011_Feb08.aspx&Guid=1c8bd7e4-fd21-40b0-ae63-4dfe5dcc60e2&Category=All, accessed November 2012.
- 33 Y. Yamada, S. Yoshida, T. Honda and S. Fukuzumi, Protonated iron–phthalocyanine complex used for cathode material of a hydrogen peroxide fuel cell operated under acidic conditions, *Energy Environ. Sci.*, 2011, **4**, 2822–2825.
- 34 Korea Center for Artificial Photosynthesis (KCAP), <http://www.k-cap.or.kr/eng/info/index.html?sidx=2>, accessed November 2012.
- 35 Dalian National Laboratory for Clean Energy, http://www.dnl.dicp.ac.cn/index_en.php, accessed November 2012.
- 36 T. A. Faunce, Towards global artificial photosynthesis (global solar fuels): energy, nanochemistry and governance, *Aust. J. Chem.*, 2012, **65**, 557–563.
- 37 Solar Fuels Institute, <http://www.solar-fuels.org>, accessed November 2012.
- 38 T. A. Faunce, *Future Perspectives on Solar Fuels' in Molecular Solar Fuels*, ed. T. Wydrzynski and W. Hillier, Royal Society of Chemistry, 2012, ch. 21.
- 39 R. Hiwatari, K. Okano, Y. Asaoka, K. Shinya and Y. Ogawa, Demonstration tokamak fusion power plant for early realization of net electric power generation, *Nucl. Fusion*, 2005, **45**, 96.
- 40 T. A. Faunce, Governing planetary nanomedicine: environmental sustainability and a UNESCO universal declaration on the bioethics and human rights of natural and artificial photosynthesis (global solar fuels and foods), *Nanoethics*, 2012, **6**(1), 15–27.
- 41 D. G. Nocera, Can we progress from solipsistic science to frugal innovation?, *Daedalus*, 2012, **141**, 1–8.